SPB V-Pulleys (Taper Lock)


Pulley (dw)	Grooves	Bush	d2 Max	b	d	App. Kg
75	1	1108/1210	28	20	80.6	0.5
	2	1108	28	35	80.6	0.6
80	1	1108/1210	28/32	25	87	0.5
	2	1108/1210	28/32	44	87	0.7
	3	1108/1210	28/32	63	87	1.1
85	1	1210	32	25	92	0.6
	2	1210	32	44	92	0.8
90	1	1210	32	25	97	0.6
	2	1210	32	44	97	1
	3	1210	32	63	97	1.3
95	1	1210/1610	32/42	25	102	1
	2	1210/1610	32/42	44	102	1.2
100	1	1610	42	25	107	0.88
	2	1610	42	44	107	1.3
	3	1610	42	63	107	1.8
	4	1615	42	82	107	2.2
106	1	1610	42	25	112	1
	2	1610	42	44	112	1.5
	3	1610	42	63	112	2
	4	1610	42	82	112	2.5
	5	1615	42	101	112	2.75
112	1	1610	42	25	119	1.21
	2	1610	42	44	119	1.72
	3	1610	42	63	119	2.29
	4	1610	42	82	119	2.95
118	1	1610	42	25	125	1.4
	2	1610	42	44	125	1.94
	3	1610	42	63	125	2.55
	4	1610	42	82	125	3.2
125	1	1610	42	25	132	1.63
	2	2012	50	44	132	2.07
	3	2012	50	63	132	2.73
	4	2012	50	82	132	3.39
	5	2012	50	101	132	4.05
132	1	1610	42	25	139	1.87
	2	2012	50	44	139	2.4
	3	2012	50	63	139	3.11
	4	2012	50	82	139	3.82
	5	2012/2517	50/65	101	139	4.2
140	1	1610	42	25	147	2.16
	2	2012	50	44	147	2.81
	3	2012	50	63	147	3.56
	4	2517	65	82	147	4.85
	5	2517	65	101	147	4.49
	6	2517	65	120	147	5.53
150	1	1610	42	25	157	2.55
	2	2012	50	44	157	3.34
	3	2517	65	63	157	4.1
	4	2517	65	82	157	6.26
	5	2517	65	101	157	5.73
	6	2517	65	120	157	6.56

Every effort has been taken to ensure that the data listed in this catalogue is correct.
Finer Power Transmissions P/L will not accept liability for any damage or loss caused as a result of the data in this catalogue.

SPB V-Pulleys (Taper Lock)

Pulley (dw)	Grooves	Bush	d2 Max	b	d	App. Kg
236	1	2012	50	25	243	6.76
	2	2517	65	44	243	10.62
	3	2517	65	63	243	7.72
	4	3020	75	82	243	14.16
	5	3535	90	101	243	19.39
	6	3535	90	120	243	20.84
250	1	2012	50	25	257	7.68
	2	2517	65	44	257	6.7
	3	3020	75	63	257	12.6
	4	3020	75	82	257	16.08
	5	3535	90	101	257	22.77
	6	3535	90	120	257	24.31
	8	3535	90	158	257	27.39
265	2	2517	-	-	-	-
280	1	2012	50	25	287	4.13
	2	2517	65	44	287	7.53
	3	3020	75	63	287	10.74
	4	3020	75	82	287	13.4
	5	3535	90	101	287	19.15
	6	3535	90	120	287	21.04
	8	3535	90	158	287	25
300	1	2012	50	25	307	6.8
	2	2517	65	44	307	8.14
	3	3020	75	63	307	11.64
	4	3020/3535	75/90	82	307	14.92
	5	3535	90	101	307	20.67
	6	3535	90	120	307	22.75
	8	3535	90	158	307	30
315	1	2012	50	25	322	7.9
	2	2517	65	44	322	8.66
	3	3020	75	63	322	12.21
	4	3535	90	82	322	19.81
	5	3535	90	101	322	21.75
	6	3535	90	120	322	23.98
	8	3535	90	158	322	31
	10	3535	90	209	322	35
335	2	2517	65	44	342	11.3
	3	3020	75	63	342	12
	4	3535	90	82	342	16.4
	5	3535	90	82	342	20
	6	3535	90	82	342	26.30
	8	3535	90	82	342	33.50
355	2	3020	75	44	362	11.74
	3	3020	75	63	362	14.24
	4	3535	90	82	362	15.5
	5	3535	90	101	362	23.46
	6	3535	90	120	362	27.75
	8	3535	90	158	362	31.6
	10	4040	100	209	362	38.50
375	3	3020	-	-	-	-
560	2	3030	-	-	-	-

Every effort has been taken to ensure that the data listed in this catalogue is correct.
Finer Power Transmissions P/L will not accept liability for any damage or loss caused as a result of the data in this catalogue.



Every effort has been taken to ensure that the data listed in this catalogue is correct.
Finer Power Transmissions P/L will not accept liability for any damage or loss caused as a result of the data in this catalogue.