SPC V-Pulleys (Taper Lock)

Pulley (dw)	Grooves	Bush	d2 Max	b	d	App. Kg
150	1	2012/2517	50/65	50	159.6	6
	2	2012	-	-	159.6	-
	3	2517	-	-	159.6	-
	4	2517	-	-	159.6	-
200	1	2517	65	50	209.6	8
	2	2517	65	50	209.6	8
	3	2517	75	85	209.6	10.41
	4	3020	75	110.5	209.6	11.57
	5	3020/3535	75/90	136	209.6	14.38
	6	3535	90	161.5	209.6	16.13
	8	3535	90	212.5	209.6	16.93
212	2	2517	65	44	221.6	9
	3	2517/3020	65/75	85	221.6	11.35
	4	3020	75	110.5	221.6	13.22
	5	3535	90	136	221.6	16.98
	6	3535	90	161.5	221.6	18.85
	8	3535	90	212.5	221.6	22.59
224	1	2517	65	50	233.6	10.00
	2	3020	75	59.5	233.6	10.97
	3	3020	75	85	233.6	12.97
	4	3535	90	110.5	233.6	17.72
	5	3535	90	136	233.6	19.71
	6	3535	90	161.5	233.6	21.71
	8	3535	90	212.5	233.6	25.69
236	2	3020	75	59.5	245.6	11.20
	3	3020	75	85	245.6	14.67
	4	3535	90	110.5	245.6	20.49
	5	3535	90	136	245.6	22.6
	6	3535	90	161.5	245.6	24.72
	8	3535	90	212.5	245.6	28.94
250	1	2517	65	50	259.6	6.90
	2	3020	75	59.5	259.6	14.00
	3	3020	75	85	259.6	16.76
	4	3535	90	110.5	259.6	23.91
	5	3535	90	136	259.6	26.16
	6	3535	90	161.5	259.6	28.42
	8	3535	90	212.5	259.6	32.93
265	3	3535	90	85	274.6	25.04
	4	3535	90	110.5	274.6	21.11
	5	3535	90	136	274.6	23.52
	6	3535	90	161.5	274.6	26.01
	8	3535	90	212.5	274.6	30.91
280	1	2517	65	50	289.6	8.50
	3	3535	90	85	289.6	19.55
	4	3535	90	110.5	289.6	22.23
	5	3535	90	136	289.6	24.91
	6	3535	90	161.5	289.6	27.6
	8	3535	90	212.5	289.6	32.84
300	1	2517	-	-	309.6	-
	2	3020	-	-	309.6	-
	3	3535	90	85	309.6	21.01
	4	3535	90	110.5	309.6	23.95
	5	3535	90	136	309.6	26.89
	6	3535	90	161.5	309.6	29.83
	8	4040	100	212.5	309.6	49.93
	10	4545	110	263.5	309.6	54


Every effort has been taken to ensure that the data listed in this catalogue is correct.
Finer Power Transmissions P/L will not accept liability for any damage or loss caused as a result of the data in this catalogue.

SPC V-Pulleys (Taper Lock)


Pulley (dw)	Grooves	Bush	d2 Max	b	d	App. Kg
475	3	3535	90	85	484.6	32.46
	4	3535	90	110.5	484.6	38.41
	5	4040	100	136	484.6	50.60
	6	4545	110	161.5	484.6	61.46
	8	5050	125	212.5	484.6	77.64
	10	5050	125	263.5	484.6	125
	12	5050	125	314.5	484.6	142
500	3	3535	90	85	509.6	34.52
	4	3535	90	110.5	509.6	41.06
	5	4040	100	136	509.6	53.49
	6	4545	110	161.5	509.6	64.69
	8	5050	125	212.5	509.6	81.31
	10	5050	125	263.5	509.6	111
	12	5050	125	314.5	509.6	148
530	3	3535	90	85	539.6	36.82
	4	3535/4040	90/100	110.5	539.6	50.27
	5	4040/4545	100/4545	136	539.6	62.18
	6	4545	110	161.5	539.6	73.77
	8	5050	125	212.5	539.6	85.60
	10	5050	125	263.5	539.6	145
	12	5050	125	314.5	539.6	155
560	3	3535	90	85	569.6	39.41
	4	4040	100	110.5	569.6	53.43
	5	4545	110	136	569.6	65.72
	6	5050	125	161.5	569.6	77.67
	8	5050	125	212.5	569.6	90.9
	10	5050	125	263.5	569.6	121
	12	5050	125	314.5	569.6	164
630	3	4040	100	85	639.6	52.10
	4	4545	110	110.5	639.6	66.03
	5	5050	125	136	639.6	79.3
	6	5050	125	161.5	639.6	87.39
	8	5050	125	212.5	639.6	102.88
	10	5050	125	263.5	639.6	130
	12	5050	125	314.5	639.6	185
710	3	4545	110	85	709.6	52
	4	5050	125	110.5	709.6	64
	5	5050	125	136	709.6	79
	6	5050	125	161.5	709.6	100
	8	5050	125	212.5	709.6	121
	10	5050	125	263.5	709.6	165
	12	5050	125	314.5	709.6	165
800	3	4545	110	85	809.6	72
	4	5050	125	110.5	809.6	90.77
	5	5050	125	136	809.6	102.46
	6	5050	125	161.5	809.6	113.65
	8	5050	125	212.5	809.6	136.55
	10	5050	125	263.5	809.6	170
	12	6050	150	314.5	809.6	277

Every effort has been taken to ensure that the data listed in this catalogue is correct.
Finer Power Transmissions P/L will not accept liability for any damage or loss caused as a result of the data in this catalogue.


V-Belt Pulley




Type 1




Type 2




Type 3




Type 4




Type 5




Type 6




Type 7




Type 8



Type 9



Type 10



Type 11

Every effort has been taken to ensure that the data listed in this catalogue is correct.
Finer Power Transmissions P/L will not accept liability for any damage or loss caused as a result of the data in this catalogue.