

1/4" and 1/2" Square Drive Combination Spanner and Socket Set S87+7

- 12-piece 1/4" hex sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 and 13 mm
- 9-piece 1/4" deep hex socket, 4, 5, 6, 7, 8, 9, 10, 11 and 13 mm
- 15-piece 1/2" hex sockets 10, 12, 13, 14, 15, 16, 17, 18, 20, 21, 23, 24, 27, 32 and 34 mm
- 9-piece 1/2" hex sockets AF, 3/8, 7/16 (11), 1/2, 9/16, 11/16, 3/4 (19), 13/16, 7/8 (22) and 1-3/16"
- 4-piece 1/2" hex impact sockets, 17, 19, 21 and 24 mm
- 4-piece 1/4" Phillips socket drivers, PH1, PH2, PH3 and PH4
- 3-piece 1/4" slotted socket drivers, 4, 5.5 and 7 mm
- 6-piece 1/4" hex socket drivers, 3, 4, 5, 6, 8 and 10 mm
- 2-piece 1/4" extension bars, 50 mm/2" and 100 mm/4"
- 1-piece 1/4" sliding T-bar: 100 mm/4". 1-piece 1/4" universal joint
- 1-piece 1/4" spinner with two-component handle
- 2-piece 1/2" extension bars, 125 mm/5" and 250 mm/10"
- 1-piece 1/2" universal joint. 1-piece 1/2" spark plug hex socket: 21 mm (13/16")
- 1-piece 1/2" T-adaptor. 3-piece hexagon L-keys, 1.5, 2 and 2.5 mm
- 1-piece 1/4" ratchet, quick-release, 60 teeth/6° action angle

- 1-piece 1/2" ratchet: quick-release, 60 teeth/6° action angle
- 4-piece flex head spanners, 8-9, 10-11, 12-13 and 14-15 mm
- 13-piece combination spanners: 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm
- 1-piece removable 3-section plastic box with lid
- Matte finish High-performance alloy steel
- Less wear and damage to fastener thanks to Dynamic-Drive™ profile sockets



1/4" Square Drive Socket Set with Metric Hex Profile and Ratchet/Socket Drivers S290

- 12-Piece 1/4" hex sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 and 13 mm
- One 1/4" ratchet, quick release, 60 teeth/6° action angle
- Three 1/4" Phillips socket drivers: PH1, PH2 and PH3
- Three 1/4" slotted socket drivers: 4, 5.5 and 7 mm
- Five 1/4" hex socket drivers, 3, 4, 5, 6 and 8 mm
- One 1/4" extension bar, 50 mm/2". One 1/4" extension bar, 150 mm/6"
- One 1/4" sliding T-bar, 100 mm/4". One 1/4" universal joint.
- One 1/4" spinner with two-component handle
- Two removable three-section plastic box with lid
- Matte finish High-performance alloy steel
- Less wear and damage to fastener thanks to Dynamic-Drive™ profile sockets
- Quick socket release button on ratchet



1/4" and 3/8" Square Drive Socket Set with Metric Hex Profile and Ratchet S330

- 12-Piece 3/8" hex sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 and 22 mm
- One 3/8" ratchet: quick release, 60 teeth/6° action angle
- Two 3/8" extension bars, 75 mm/3" and 150 mm/6"
- One 3/8" universal joint. One 3/8" x 1/4" bit holder
- Two 3/8" spark plug hex sockets, 16 mm (5/8") and 21 mm (13/16")
- One 1/4" spinner with two-component handle
- One 1/4" x 1/4" bit holder Three 1/4" slotted bits: 4, 5.5 and 7 mm
- Four 1/4" Phillips bits, PH1, PH2, PH3 and PH4
- Six 1/4" hex bits, 3, 4, 5, 6, 7 and 8 mm
- Matte finish High-performance alloy steel
- Less wear and damage to fastener thanks to Dynamic-Drive™ profile sockets
- Quick socket release button on ratchet



1/4" Square Drive Socket Set with Metric Hex Profile and Socket Drivers S460

- 2-Piece 1/4" hex sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 and 13 mm
- One 1/4" ratchet, quick release, 60 teeth/6° action angle
- Four 1/4" Phillips socket drivers, PH1, PH2, PH3 and PH4
- Three 1/4" slotted socket drivers: 4, 5.5 and 7 mm
- Six 1/4" hex socket drivers, 3, 4, 5, 6, 8 and 10 mm
- Seven 1/4" socket drivers, T8, T10, T15, T20, T25, T27 and T30
- Three 1/4" TORX® sockets: E6, 7 and 8
- One 1/4" spinner disc Two 1/4" extension bars, 2" and 4"
- One 1/4" sliding T-bar One 1/4" universal joint
- One 1/4" spinner with two-component handle
- One 1/4" flexible extension bar, 150 mm/6"
- Three hexagon L-keys: 1.5, 2 and 2.5 mm
- Three removable three-section plastic boxes with lid
- Matte finish High-performance alloy steel
- Less wear and damage to fastener thanks to Dynamic-Drive™ profile sockets
- Quick socket release button on ratchet



1/2" Square Drive Socket Set with Metric Hex Profile and Ratchet S240

- 8-Piece 1/2" hex sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30 and 32 mm
- One 1/2" ratchet, quick release, 60 teeth/6° action angle
- Two 1/2" extension bars, 5" and 10"
- One 1/2" universal joint One 1/2" T-adaptor
- One 1/2" breaker bar with two-components handle: 10"
- One removable three-section plastic box with lid
- Matte finish High-performance alloy steel
- Less wear and damage to fastener thanks to Dynamic-Drive™ profile sockets
- Quick socket release button on ratchet



1/4" Standard Bit and Socket Set for Slotted/Phillips/Pozidriv/TORX®/Hex Head Screw - 26 Pcs 2058/S26

- For slotted, Phillips, PoziDriv, TORX® and hex head screw
- Includes 26 pieces: 18 bits + 5 sockets + 1 bit ratchet + 1 adaptor + 1 bit holder
- High-performance alloy steel
- Finish: zinc phosphate (bits), chrome (sockets) and plated (bit ratchet)
- Supplied in a SPAR-CASE-A7 plastic box
- 1/4" hexagonal drive DIN 3126 and ISO 1173, style C 6
- Faster turning of fastener from the ring end ratcheting action
- Spare ratchet 6950CBR Quick-release bit holder



1/4" and 1/2" Square Drive Socket Set with Metric Hex Profile and Combination Wrench/Bit Set/Pliers S81MIX

- 10-piece 1/4" hex sockets 5, 5.5, 6, 7, 8, 9, 10, 11, 12 and 13 mm
- 15-piece 1/2" hex sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23 and 24 mm
- 2-piece 1/4" extension bars, 50 mm/2" and 150 mm/6"
- 1-piece 1/4" sliding T-bar: 100 mm/4" 1-piece 1/4" universal joint
- 1-piece 1/4" square drive socket adaptor for 1/4" bits (6972H)
- 2-piece 1/2" extension bars, 125 mm/5" and 250 mm/10"
- 1-piece 1/2" universal joint 1-piece 1/4" ratchet, quick-release, 60 teeth/6° action angle
- 1-piece 1/2" ratchet: quick-release, 60 teeth/6° action angle
- 1-piece side cutting pliers 160 mm (2171G-160)
- 1-piece snipe nose pliers 160 mm (2470G-160)
- 1-piece slip joint pliers 250 mm (2971G-250)
- 30-piece 1/4" bits + 1-piece 1/4" bit holder in a practical removable case
- 12-piece combination wrenches: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm
- Matte finish High-performance alloy steel





Sliding Combination Squares with Metal Scriber CS

- For marking 45° and 90°
- Easy to use combination square with both metric and imperial markings
- Adjustable depth for repeated marking and scribing
- Built-in level bubble for approximate marking. Includes a metal scriber housed in the handle.

Product	L
CS150	152 mm
CS300	305 mm
CS400	407 mm




Squeeze Retractable Utility Knives with Rubber Grip SQZ150003

- Quick change blade feature. Comfortable to use with rubber grips
- Retractable blade for extra safety. Heavy-duty applications
- Extremely fast blade operation and change with side button for retraction and lower lever for extension
- Simple button press for blade removal, squeeze lower lever for new blade
- Six spare blades stored in special compartment



Ball Pein Hammers with Hickory Handle 479

- Suitable for use on cold chisels, punches, rivets and shaping metal
- First class genuine hickory handle, straight-grained, without knots
- Suitable for use as a general-purpose hammer



Product		A	B	C	g
479-08	230 g	80 mm	300 mm	23 mm	330 g
479-12	340 g	87 mm	320 mm	27 mm	420 g
479-16	450 g	100 mm	350 mm	29 mm	570 g
479-20	570 g	105 mm	360 mm	32 mm	680 g
479-24	800 g	110 mm	375 mm	34 mm	850 g
479-32	900 g	121 mm	400 mm	36 mm	1140 g







2T trolley jack with 100% aluminum structure for road and indoor workshop services. BH1AOZ2000A

- 2T trolley jack with 100% aluminium structure for road and indoor workshop services.
- Weights just 25 kg
- Low entry height: 95 mm
- High lifting height: 482 mm
- Quick approach to the load thanks to the dual piston system
- Dust cover protects the pistons and spring from being damaged
- Equipped with a handy tool tray
- Rubber saddle protects vehicle surfaces and prevents slipping
- Foam sleeve on the handle prevents damaging vehicle bodies
- Nylon front and rear wheels ensure both excellent durability and silent handling
- Complies with AS 2615:2016



Pair of aluminium of jack stands, 2,000kg capacity BH3AOZ2000

- Offers lightweight mobility with only 2.2kg per jack stand
- Dedicated to road assistance applications
- 390 mm maximum height achievable
- Safety pin through system with ball retainer design
- Reinforced aluminium casting base with anodised body, pole and saddle
- Ideal complement for our aluminium trolley jacks
- Sold in pairs