LUBRICANTS

DEOX R10 RUST BREAKING PENETRATING OIL

☑ Protects from salt spray deposits



Premium blend of refined low viscosity mineral oils. Ideal for the maintenance and servicing of machinery and equipment.

Swiftly flows into narrow spaces between threads, chains, and locks. Dissolves contaminants in its path such as rust, sludge, and grime. Breaks free and unseizes rusted and dry nuts, bolts, locks, and hinges. Inhibits further corrosion.

Lubricates swiftly to increase performance in a matter of minutes. Reduces the persistence of squeals and squeaks.

Suitable for marine environments and outdoor or weather-prone conditions.

PART NO.	SIZE
CT-R10-300	300g Aerosol
CT-R10-5L	5 Litres
CT-R10-20L	20 Litres

DEOX R56 SUPER LUBRICANT

☑ Performance enhancing



The ultimate solution for optimising performance - even in challenging conditions. Contains advanced lubricating additives for unparalleled protection.

Beneficial in industrial environments where exposure to moisture, chemicals, and harsh conditions is common.

Allows for the smooth operation of moving parts, long-term.

Quickly penetrates tight spaces, crevices, and hard to reach areas.

Stops squeaks and loosens rusted parts. Displaces moisture and contaminants. Contains corrosion inhibitors to extend service life.



Ideal for the long-term preservation of hand tools.

Protects operating controls, electrical wiring, and more.

PART NO.	SIZE
CT-R56-400	400g Aerosol
CT-R56-5L	5 Litres
CT-R56-20L	20 Litres
CT-R56-SPR	500ml Empty Spray Bottle

DEOX R1™ MULTI-PURPOSE LUBRICANT



☑ **High quality, superior ingredients and refined mineral oils.**

First time, every time lubrication for the professional tradesperson.

Penetrates quickly. Displaces water and repels moisture. Dissolves grease and cleans most metal surfaces. Reduces wear and friction.

Leaves a light surface film behind to prevent corrosion.



Effectively loosens rusted parts and stops squeaks.

Great Australian lubricant for the maintenance of tools, parts, and machinery.

PART NO.	SIZE
CT-R1-300	300g Aerosol
CT-R1-5L	5 Litres
CT-R1-20L	20 Litres
CT-R1-SPR	500ml Empty Spray Bottle

DEOX R44 SOLVENT-FREE LUBRICANT



☑ **Lanolin-based with no silicone or harsh solvents**

Lubricates metal surfaces. Rejuvinates stainless steel. Protects against friction and wear. Extends the life of moving or mechanical parts.

Superior corrosion protection. Rust proofs equipment and parts in storage.

Seals against moisture and water intrusion. Clings to most surfaces in wet or dry conditions.



Trusted Australian rust protection product.

FREE OF ALL SILICONE & HARSH SOLVENTS

PART NO.	SIZE
CT-R44-300	300g Aerosol
CT-R44-5L	5 Litres
CT-R44-20L	20 Litres
CT-R44-SPR	500ml Empty Spray Bottle

LUBRICANTS

DEOX R70 ELECTRICAL PROTECTOR & CONDUCTIVITY ENHANCER



Highly advanced formula offering vital protection. For use during the maintenance and servicing of electrical components.

Extremely effective in aggressive environments and tropical climates, from industrial to marine. Protects surfaces in any condition, including those which had previously undergone water damage.

Leaves a thin film deposit of VCIs for ongoing rust protection and moisture displacement.

Dissolves corrosion to assist with the restoration of electrical conductivity. Does not alter or interfere with electrical resistance or magnetic properties.

Seals and enhances the conductivity of electrical and electronic equipment and tools, including switches, contacts, relays, coils, solenoids, motors and generators, junction boxes, and telecommunication devices.

PART NO.	SIZE
CT-R70-300	300g Aerosol
CT-R70-5L	5 Litres
CT-R70-20L	20 Litres

TAP-N-COOL STRAIGHT CUTTING FLUID

Ready-to-use high performance light to medium duty oil.

☑ Non-flammable
☑ Recommended for all metal types



Formulated with specialised functional chemistry to minimise misting.

Contains solvent refined mineral oils and extreme pressure additives. Includes a non-staining biocide package to resist the formation of bacteria and fungus.

Provides an excellent surface finish with great anti-wear properties and high corrosion inhibition for a rust-free environment - essential for machine tools and finished parts.

Free flowing for rapid dissipation of heat from metal removal and forming operations.

PART NO.	SIZE
CT-SCF-250ML	250ml
CT-SCF-300	300g Aerosol
CT-SCF-500ML	500ml
CT-SCF-5L	5 Litres
CT-SCF-20L	20 Litres

DEOX R03 WHITE LITHIUM GREASE

Premium, all-purpose lubricating grease. Contains PTFE for superior performance and protection.

Excellent water resistant barrier. Prevents rust and corrosion build-up. Reduces friction and wear.

Forms a long lasting protective film. Will not harden, melt, drip, migrate, or wash away. Low bleed and low evaporation.

Improves electrical connections between worn contacts.

Reduces arcing hot spots and pitting on switch contact surfaces.

Ensures silent operation between metal to metal moving parts under heavy loads or high speeds.

Reduces friction on parts under stress due to repetitive use.





PART NO.	SIZE
CT-R03-50G	50g Tube
CT-R03-350	350g Aerosol
CT-R03-450G	450g Cartridge
CT-R03-2.5KG	2.5 Kilograms



DEOX R60 HEAVY DUTY SILICONE SPRAY

Water displacing, high performance light lubricant.

Provides high industrial grade lubrication of gears and other moving parts and components.

Excellent corrosion resistance to extreme weather and temperature conditions, as well as salt spray deposits and some chemical assaults.

Leaves a residual friction-reducing film behind to protect from wear in non-load bearing mechanical assemblies.

Promotes a reduction of adhesion between sliding surfaces, including tracks, hinges, and conveyors.

Formulated for safe use on most rubbers, paintwork, and plastics*.

Commonly used as a mold release agent across multiple industries.

**May affect some silicone rubbers and delicate plastics. It is recommended to test surfaces first before full application.*

PART NO.	SIZE
CT-R60-300	300g Aerosol

ANTI-SEIZE

DEOX R28 NICKEL ANTI-SEIZE



For use on stainless steel and metals where the presence of copper is restricted.

Recommended for austenitic stainless steel, nickel, titanium, cobalt, and other alloys.

TEMPERATURE RANGE
-100°C +1200°C

PART NO.	SIZE
CT-R28-35BT-POS Contains 25pcs	COUNTER DISPLAY 35g Brush Top Point of Sale Box

PART NO.	SIZE
CT-R28-75T	75g Tube
CT-R28-300	300g Aerosol
CT-R28-500BT	500g Brush Top
CT-R28-2.5KG	2.5 Kilograms

DEOX R29 COPPER ANTI-SEIZE



For use on alloys, plastics, steel, brass, and copper.

Not suitable for stainless steel.

Meets Military Specification: MIL-PRF-907F

TEMPERATURE RANGE
-155°C +985°C

PART NO.	SIZE
CT-R29-35BT-POS Contains 25pcs	COUNTER DISPLAY 35g Brush Top Point of Sale Box

PART NO.	SIZE
CT-R29-75T	75g Tube
CT-R29-300	300g Aerosol
CT-R29-500BT	500g Brush Top
CT-R29-2.5KG	2.5 Kilograms

VIEW THE COMPLETE ANTI-SEIZE RANGE ONLINE ⬆ WWW.CHEMTOOLS.COM.AU

PAINTS & COATINGS

GALMAX™ ZPH GREY/RED OXIDE METAL PRIMER

Oil-based rust resistant zinc phosphate primer. Tough, durable, smooth base coat. Contains corrosion resistant pigments.

Can be applied directly over rusty surfaces. Ideal for non-galvanised ferrous metals.

Protects from chemical fumes and extreme conditions.

Quick drying and long lasting.

Can be overcoated with all conventional top coats.



PART NO.	COLOUR	SIZE
CT-GYP-400	Grey	400g Aerosol
CT-GYP-1L	Grey	1 Litre
CT-GYP-4L	Grey	4 Litres
CT-GYP-20L	Grey	20 Litres
CT-ROP-400	Red	400g Aerosol
CT-ROP-1L	Red	1 Litre
CT-ROP-4L	Red	4 Litres
CT-ROP-20L	Red	20 Litres

GALMAX™ NPR COLOURED GALVANISING PAINT

☑ Radiators ☑ Industrial Mufflers ☑ Roads & Bridges ☑ Fences & Pipes ☑ Metal Roofs ☑ Offshore Rigs

Direct to metal corrosion protection. Dries to a smooth and durable rust-fighting finish.

Protects steel and iron structures or equipment from corrosion. Use extensively in the maintenance and restoration of damaged or worn galvanised metal.

Excellent adhesion to most metal surfaces. Can also be used on concrete and ceramics. Great for use on marine and offshore rigs.

TIP • For long-term and added protection on fresh welds or in coastal environments, prime surfaces first with *GalMax™ 90 Cold Galvanising Paint & Weld Through Primer (Part No. CT-CG). Visit* ***chemtools.com.au*** *for more information.*

PART NO.	COLOUR*	SIZE
CT-BKSG-400	Black (Semi-Gloss)	400g Aerosol
CT-MBKSG-400	Matte Black	400g Aerosol
CT-WSG-400	White (Semi-Gloss)	400g Aerosol
CT-MWSG-400	Matte White	400g Aerosol

LOOKING FOR OTHER COLOURS? THE GALMAX™ NPR FULL RANGE IS SHOWN ONLINE. HERE'S A QUICK VISUAL:





EXTERIOR WASHING

AUTOCHEM™ HEAVY DUTY TRUCK WASH

☑ DILUTABLE UP TO 1:250



Premium liquid soap. Highly concentrated formula.

For fast and reliable cleaning of heavy machinery, parts, equipment, and tools. Suitable for all surfaces, including plastic, rubber, chrome, and aluminium.

Rapidly dissolves and removes the toughest soils and road grime. Contains corrosion inhibitors to protect surfaces from rusting under extreme conditions.

Leaves vehicles impressively shiny and streak-free.

Recommended for all truck and trailer washing applications. Works exceptionally well with high pressure or automatic washing equipment.

Non-toxic and safe on hard working hands. Mild enough for soiled materials such as tarpaulins and greasy overalls. Efficiently degreases concrete and asphalt floors and benches.

PART NO.	SIZE
CT-TW18-5L	5 Litres
CT-TW18-20L	20 Litres

PROVIDES AN INCREDIBLE CLEAN WITH FANTASTIC RESULTS

AUTOCHEM™ SUPER FOAM TRUCK WASH

☑ DILUTABLE UP TO 1:250



Premium, high foaming concentrated liquid soap. Non-toxic and biodegradable formulation. Leaves vehicles impressively shiny and streak-free.

Suitable for automatic foaming and washing equipment, air pressurised misting sprayers, high pressure sprayers, and manual application on heavy machinery, parts, equipment, and tools.

Rapidly dissolves tough soils and road grime. Exceptional performance with hot or cold water. Will not strip quality polishes, and is safe on all surfaces, including plastic, rubber, chrome, and aluminium.

Contains corrosion inhibitors. Provides residual protection to further resist rust.

Also an efficient multi-use degreaser to replace a variety of cleaning products.

Great on concrete and asphalt floors and work benches. Safe and mild enough after dilution for hard-working hands and soiled materials such as overalls, tarpaulins, and truck curtains.

PART NO.	SIZE
CT-TW19-5L	5 Litres
CT-TW19-20L	20 Litres

CLEANING & MAINTENANCE

AUTOCHEM™ HEAVY DUTY ENGINE DEGREASER

SPRAY ON - HOSE OFF



Easily dissolves oils and greases. Removes dirt and gum build-up on engines, motors, industrial or heavy-use machinery, and automotive tools and equipment.

Safe on most metals, lacquered surfaces, paintwork, and concrete.

Commonly used as a fast-grab clean-up spray in many industries.

Hoses off quickly for fast and effortless cleaning.

Perfect for outdoor appliances, including mowers, edgers, and chainsaws.

Great for greasy workshops, assembly benches, work overalls, and a variety of other degreasing applications.

PART NO.	SIZE
CT-EDG-300	300g Aerosol
CT-EDG-5L	5 Litres
CT-EDG-20L	20 Litres

AUTOCHEM™ BATTERY TERMINAL PROTECTOR



IMPROVES ELECTRICAL CONDUCTIVITY

Dry, non-tacky, non-chlorinated, lead-free barrier.

Ideal for maintaining optimal battery condition during periods of long-term storage.

Stops corrosion forming on battery terminals, cable connectors, and metal contacts.

Dries to a flexible blue coating. Forms an airtight durable seal.

Superior resistance to acids, moisture, salt spray, and mechanical soils.

Will not sag, run, peel, or crack under high temperatures or over time.

PART NO.	SIZE
CT-BTP-300	300g Aerosol

☑ Only 1 to 2 thin coats with complete coverage coverage will extend the life of all battery types used over land or sea.

Note: *Ensure all painted surfaces are covered before application to avoid spot damage. Residues should be removed immediately with AutoChem™ Heavy Duty Brake & Parts Cleaner.*

AUTOCHEM™ ENGINE STARTING FLUID

Formulated for use on all 2- and 4-stroke petrol and diesel combustion engines.

Can be used on engines up to 200°C.

Enables reliable cold starting in:

☑ Damp weather ☑ At low temperatures

☑ After long periods of engine downtime

Provides long-term corrosion protection for up to 6 months in outdoor environments. Leaves a clear surface film which can be easily removed if required.

Suitable for use in extreme weather on motor vehicles, motorcycles, trucks, marine engines, mining equipment, tractors and mowers, and other gardening or farming equipment.



HOW-TO QUICK START GUIDE


PART NO.	SIZE
CT-ESF-300	300g Aerosol

Petrol Engines: With the ignition off, spray a short burst directly into the carburetor, air cleaner, or air intake, then start the engine. Do not flood the engine before using. Do not use while the engine is running.

Diesel Engines: Spray a short burst into the air inlet from a distance of approximately 5 - 10 cm while starting the engine.

NOTE: Spray moderately to avoid excessive fluid and uncontrolled running of the engine.

AUTOCHEM™ CARBI, CHOKE & THROTTLE BODY CLEANER



Industrial strength engine cleaner.

Instantly dissolves deposits such as grease, grime, varnish, gum, dirt, sludge, and other residues and contaminants.

Removes build up in the fuel and air intake delivery systems that slow or impede performance.

Corrects erratic engine operations. Drastically improves fuel economy. Reduces emissions.

Vehicles run smoother and noticeably more powerful after use.

Safe on all metals and gaskets. Will not affect oxygen sensors or mass airflow sensors on the intake system.

Leaves no sticky residue. Suitable for both external and internal parts cleaning.

Copmatible with all petrol engines in trucks, cars, tractors, earth moving equipment, farm machinery, mowers, and more.

RECOMMENDED FOR:

☑ Throttle Plates ☑ Butterfly Valves

☑ Positive Crankcase Ventilation (PCV) Valves

☑ Exhaust Gas Recirculation (EGR) Valves

☑ Throttle Linkages ☑ Choke Systems

Note: No dismantling of the carburetor or throttle body from the engine is required.

PART NO.	SIZE
CT-CCT-300	300g Aerosol

CLEANING & MAINTENANCE

AUTOCHEM™ HEAVY DUTY BRAKE & PARTS CLEANER

SUPERIOR
MULTI-INDUSTRY CLEANER

POWERFUL
NON-CHLORINATED SOLVENT



Maximum cleaning without the need for disassembly. Ideal for all metal surfaces. Offers effortless degreasing during maintenance and repair work.

Rapidly penetrates and flushes away grease, oil, transmission fluid, hardened deposits, and grime. Evaporates quickly and leaves no contaminant attracting residue behind.

Improves efficiency of industrial equipment, moving components, and mechanical assemblies when used regularly. Eliminates brake squeal and other operating noises.

VOC compliant and safe for use on all metals, most plastics, electrical connections, electronics, and all brake system parts.

- ☑ Brake Linings
- ☑ Disc Pads
- ☑ Drums
- ☑ Calipers
- ☑ Clutch Plates
- ☑ Rotors

PART NO.	SIZE
CT-BC-500	500ml/345g Aerosol
CT-BC-5L	5 Litres
CT-BC-20L	20 Litres

AUTOCHEM™ NON-FLAMMABLE BRAKE & PARTS CLEANER

Penetrates automotive parts and brake systems, as well as general mechanical equipment.

Non-corrosive to metals.

Dissolves and flushes away grease, oil, transmission fluid, hardened deposits, dirt, and grime without the need for parts disassembly.

Eliminates disc brake squeal and clutch chatter.

Safely removes hazardous brake dust.

Cleans electrical components such as contacts and alternators.

Ideal gasket stripper and asphalt remover.



- ☑ Professional strength
- ☑ Non-Staining
- ☑ Leaves no residue
- ☑ Fast drying

Widely used in the automotive, heavy engineering & mining industries

PART NO.	SIZE
CT-BCNF-400	400g
CT-BCNF-5L	5 Litres
CT-BCNF-20L	20 Litres

LIQUID CHISEL LC401 RED DUST REMOVER



FAST ACTING
ACIDIC BLEND

Quickly removes iron ore red dust and heavy road dirt. Frequently used in the mining and construction industries.

Advanced chemical formulation dissolves rust without mechanical action. Results in a chemically clean, corrosion-free surface.

Typically used on a wide range of structures, machinery, and heavy excavation or moving equipment.

Great on aluminium doors and parts that can be sprayed, wiped, or immersed. Rinses away easily without streaking.

Compatible with metal, glass, rubber, plastic, and painted surfaces.

Excellent for off-road vehicles.

PART NO.	SIZE
CT-LC401-20L	20 Litres
CT-LC401-200L	200 Litres

KEY PRODUCT FEATURES

☑ **Superior Iron Particle Removal**
Excellent cleaning performance to keep surfaces corrosion-free

☑ **Safe & Non-Abrasive**
Will not scratch, etch into, or remove vehicle paint

☑ **Rapid & Efficient**
Penetrates quickly, saving time and cleaning effort

☑ **Versatile Formulation**
Can be used on multiple exterior surfaces or as an immersion cleaner

☑ **Easy Rinsing**
Can be sprayed on and hosed away with no scrubbing required

CLEANING & MAINTENANCE



DEOX R22 'CITRASHIFT' INDUSTRIAL CLEANER & DEGREASER

Instantly emulsifies oils, greases, and fats.

Contains no harsh acids, alkalis, or petroleum solvents.

Water soluble, streak-free and free rinsing.

Removes adhesives, resins, printing inks, decals, rubber solvents, tyre marks, tar, asphalt, and much more.

Ideal for concrete and workshop floors, and motorised tools and equipment. Safe on electrical components.

☑ **Extremely strong citrus fragrance to deodorise effectively**

PART NO.	SIZE
CT-R22-300	300g Aerosol
CT-R22-750ML	750ml Trigger Spray
CT-R22-5L	5 Litres
CT-R22-20L	20 Litres



CLEANING & MAINTENANCE



AUTOCHEM™ TYRE SHINE

Silicone-based sealant for all external rubber surfaces.

Leaves a high gloss shine.

Long lasting and durable. Water resistant. Stays through multiple washes, as well as heavy rain.

Protects from oxidation and weathering, including browning, fading, and cracking.

Brings older tyres to life with a single application.

Economical benefits of regular use includes extending the life of rubber surfaces prone to environmental wear and degradation.

May also be used to darken, colour enrich, and freshen tyres.

Dries in 15 minutes with no visible drips or runs.

Leaves a mid-sheen satin finish when wiping with a soft cloth shortly after application.

PART NO.	SIZE
CT-TSH-300	300g Aerosol
CT-TSH-5L	5 Litres
CT-TSH-20L	20 Litres



LINT FREE WIPES • FOR SENSITIVE PARTS & EQUIPMENT

Completely sterile. Made from ultra-clean cellulose and long polyester fibres.

Highly absorbent and extremely soft. Free of lint and low in particulate and non-volatile residues.

Static-free when used with liquids. Will not allow dust to cling.

Provides superior cleaning without the risk of surface scratching. Ideal for wiping sensitive parts and equipment, such as optical and precision instruments, screens, and printer parts.

Recommended for use with a wide range of industrial liquids and solvents.



PART NO.	SHEET SIZE	MATERIAL
CT-LFW-100	30cm x 35cm	Non-woven blend of polyester and lyocell

CLEAN WIPE • DELICATE TASK WIPES

Light duty ultra low linting single ply wipes.

Perfectly suited for cleaning without the risk of surface scratching. Ideal for sensitive parts.

Recommended for PCBs, optical equipment, glass, printer parts and a myriad of delicate equipment.

High strength when wet or dry.

Static neutral when used with liquids. Dust will not cling.

Packaged in a convenient dispensing box for easy handling and a reduction in waste.



PART NO.	SHEET SIZE	MATERIAL
CT-LFW-280-30	20cm x 11cm	Recycled and virgin wood fibres

HAND CLEANERS



KLEANITIZE H/DUTY HAND CLEANERS

Premium, solvent-free industrial strength heavy duty hand wash. Removes the toughest soils, including grease.

Contains ultra-fine exfoliating particles to soften hard working hands. Active chelating ingredient binds with common heavy metals, allowing them to be washed away with water.

Neutralises strong workshop odours. Kills a broad array of bacterial germs.

Does not sting or burn cuts, scrapes, and open wounds. Will not scratch or irritate.

Leaves skin feeling smooth.

Highly recommended for all workshop and manufacturing facilities.



PART NO.	SIZE
CT-HC-500ML	500ml Squeeze Bottle
CT-HC-5L	5 Litre Hand Pump
CT-HC-20L	20 Litre Drum

Pleasant Citrus Aroma

Light Spearmint Aroma

PART NO.	SIZE
CT-MHC-500ML	500ml Squeeze Bottle
CT-MHC-5L	5 Litre Hand Pump
CT-MHC-20L	20 Litre Drum