Australia's favourite cutting wheel range.

This range of ultra thin (1-2mm) thick cutting wheels are designed with premium aluminium oxide grain for fast cutting, minimal material loss and heat reduction.

Ideally suited for stainless steel and other metals, all these wheels are reinforced for the demanding nature of cutting metals with right angle grinders.





Flexovit Ultra Thin - Cutting

- A46T Mega Inox using premium grade Aluminium oxide grain
- Ultra thin fast cut reinforced straight wheel for fast cutting off where minimal material loss is desired
- For stainless steel, alloy steels & hard ferrous metals.
- Durable resin bond designed for fast cut while retaining excellent wheel life
- Fillers free of Iron, Sulphur & Chlorine



Steel & Stainless Steel, Super Alloys, Titanium, Carbide



SIZE (mm)	MAX. RPM	PACK QTY	PRODUCT #	BARCODE #	SUMMARY
100 x 1.0 x 16.00	15,300	100	66252841585	9314188005032	"Our best offering for demanding trade professionals"
100 x 1.0 x 16.00	15,300	25	66253371336	9314188140139	
100 x 1.6 x 16.00	15,300	100	66252841587	9314188004295	
100 x 2.0 x 16.00	15,300	100	66252841588	9314188038030	
115 x 1.0 x 22.23	13,300	100	66252919966	9314188004288	
115 x 1.0 x 22.23	13,300	25	66253371337	9314188140146	
115 x 1.6 x 22.23	13,300	100	66252919970	9314188004325	
115 x2.0 x 22.23	13,300	100	66252841591	9314188038078	
125 x 1.0 x 22.23	12,250	100	66252919991	9314188004271	
125 x 1.0 x 22.23	12,250	25	66253371338	9314188140153	
125 x 1.6 x 22.23	12,250	100	66252841598	9314188004332	
125 x 2.0 x 22.23	12,250	100	66252841599	9314188038108	
180 x 1.6 x 22.23	8,500	50	66252841600	9314188134916	
178 x 2.0 x 22.23	8,500	50	66252920038	9314188004318	
230 x 1.9 x 22.23	6,650	50	66252841601	9314188134732	
230 x 2.0 x 22.23	6,650	50	66252920062	9314188004301	

Chop saw cut-off wheels are designed specifically for low speed machines.

A chop saw is a low horsepower machine.

This wheel should not be used on a high speed portable saw eg.(demolition saw)





Fast Cutting - Portable chop saw

- A36S Aluminium oxide grain
- Fast cut reinforced straight wheel for cutting off
- For stainless steel, ferrous metals, bar & tubing
- Durable resin bond designed for fast cut while retaining excellent wheel life
- Fillers free of Iron

Steel, Stainless steel, ferrous metals

METAL STAINLESS

SIZE (mm)	MAX. RPM	PACK QTY	PRODUCT #	BARCODE #	SUMMARY
305 x 3.0 x 25.40	5,100	20	66252841615	9314188007043	"Ideal for cutting stainless steel"
356 x 3.0 x 25.40	4,400	10	66252841617	9314188007173	
406 x 3.0 x 25.40	3,850	10	66252841618	9314188007302	



RED HOT DEAL!

FLEXOVIT MEGA INOX ULTRA THIN TUB

LONG LIFE

- Ultra thin fast cut reinforced straight wheel for fast cutting off where minimal material loss is desired
- For stainless steel, alloy steels & hard ferrous metals
- Durable resin bond designed for fast cut while retaining excellent wheel life

PART No.	SIZE	QUANTITY
66252837709	125 x 1.0 x 22.23mm	100



While stocks last.

© Flexovit are registered trademarks of Saint-Gobain Abrasives.

High speed cut-off abrasive wheels designed for high speed petrol and electric-powered portable cut-off saws for metal.

The primary applications are cutting all metal (flat stock, bars, studs, pipes, tubes, angle iron, cable).

All wheels are reinforced for the demanding nature of cutting-off metals.





Easy Cutting - Hi-Speed (100m/s) portable cut-off saw

- A36S Aluminium oxide medium grit medium hardness
- Easy cut reinforced straight wheel for cutting off
- For stuctural steel bar and hard ferrous metals
- Durable resin bond designed for fast cut while retaining excellent wheel life

Structural steel bar & hard ferrous metals

METAL

SIZE (mm)	MAX. RPM	PACK QTY	PRODUCT #	BARCODE #	SUMMARY
302 x 3.4 x 20.00	6,400	20	66252841622	9314188008149	"High performing general purpose wheel"
305 x 3.4 x 25.40	6,400	20	66252841624	9314188008279	
350 x 3.8 x 20.00	5,500	10	66252841625	9314188008408	
350 x 3.8 x 25.40	5,500	10	66252841626	9314188008446	
356 x 3.8 x 22.23	5,500	10	66252920144	9314188008422	
406 x 4.4 x 20.00	4,800	10	66252920173	9314188004202	
406 x 4.4 x 25.40	4,800	10	66252841627	9314188008668	
406 x 4.4 x 25.40	4,800	10	66252920175	9314188022039	
406 x 4.4 x 32.00	4,800	10	66252920177	9314188008705	

Designed with aluminium oxide grain for general purpose fast cutting of metals.

All wheels are reinforced for the demanding nature of cutting-off metals with right angle grinders.





Fast Cutting

- A36S Aluminium oxide grain
- Fast cut reinforced straight wheel for cutting off
- For steel and hard ferrous metals
- Durable resin bond designed for fast cut while retaining excellent wheel life

90°

Metal, Mild Steel

METAL

SIZE (mm)	MAX. RPM	PACK QTY	PRODUCT #	BARCODE #	SUMMARY
100 x 2.5 x 16.00	15,300	100	66252841558	9314188001287	"High performing general purpose wheel"
115 x 2.5 x 22.23	13,300	100	66252841560	9314188001324	
125 x 2.5 x 16.00	12,250	100	66252920010	9314188001416	
125 x 2.5 x 22.23	12,250	100	66252841561	9314188001454	
180 x 2.5 x 22.23	8,500	50	66252841566	9314188001843	
230 x 2.5 x 22.23	6,650	50	66252841574	9314188002208	
230 x 2.5 x 25.40	6,650	50	66252841576	9314188002246	
230 x 2.5 x 22.23	6,650	50	66252841575	9314188003625	
230 x 3.1 x 22.23	6,650	50	66252841584	9314188003601	

Designed for cutting non ferrous metals like aluminium, brass and copper.

The formulation resists loading or clogging of the wheel.

Aluminium cutting wheels type 41 available from 100mm - 230mm, depressed centre wheel type 42 available in 125mm.





Fast Cutting

- A36S Aluminium oxide grain
- Fast cut reinforced straight wheel for cutting off
- For non ferrous metals such as Aluminium, copper, brass & bronze
- Has a load resistant bond to reduce clogging

90°

Aluminium, copper, brass & bronze

ALUMINIUM

SIZE (mm)	MAX. RPM	PACK QTY	PRODUCT #	BARCODE #	SUMMARY
100 x 2.5 x 16.00	15,300	100	66252841602	9314188005025	"Ideal for cutting aluminium"
115 x 2.5 x 22.23	13,300	100	66252841603	9314188005155	
125 x 2.5 x 22.23	12,250	100	66252841604	9314188005285	
230 x 2.5 x 22.23	6,650	50	66252841606	9314188005674	

Designed with a sharp silicon carbide grain for cutting masonry, natural stone, tiles and ceramic.

Right angle cut-off wheel consists of Type 41 straight and Type 42 depressed centre cut-off wheels from 100mm to 230mm diameters.





Fast Cutting

- C30T Silicon carbide grain
- Fast cut reinforced straight wheel for cutting off
- For dry cutting of brick, concrete, ceramic & stone
- Durable resin bond designed for fast cut while retaining excellent wheel life
- Also suitable for non ferrous metals



Brick, concrete, ceramic & stone



SIZE (mm)	MAX. RPM	PACK QTY	PRODUCT #	BARCODE #	SUMMARY
100 x 2.5 x 16.00	15,300	100	66252841642	9314188030140	"Ideal for cutting masonry material."
115 x 2.5 x 22.23	13,300	100	66252841643	9314188030188	
125 x 2.5 x 22.23	12,250	100	66252841644	9314188030355	
230 x 2.5 x 22.23	6,650	50	66252841649	9314188030874	
230 x 2.5 x 22.23	6,650	50	66252841655	9314188031321	