Flipper®

Powerful. Intelligent. Safe!

Sets blind rivets up to M5 Aluminium.



Part no. 143 3950

ADVANTAGES

- Easy handling with only one hand
- Saving 40 percent of manual force
- Automatic mandrel ejection
- Robust and sturdy
- Larger device lift
- Safe setting process

FACTS

Weight:	750 g
Total length:	221 mm
Total stroke:	16,2 mm
Single action stroke:	1,8 mm
Working Range	Processes all blind rivets up to 5 mm Ø alu and 4 mm Ø steel and stainless steel



Flipper®

Features

Robust and sturdy – Flipper®-Box
Flipper® will be deliver in a robust plastic carrying case with 3 PolyGrip® blind rivet sizes, operating manual and adjustment list

Weight: approx. 0.9 kg
Dimensions: 220 x 200 x 40 mm



Incl. 3 blind rivet sizes
PolyGrip® Alu/steel
3.2 x 8.0 mm
PolyGrip® Alu/steel
4.0 x 10.0 mm
PolyGrip® Alu/steel
4.8 x 10.0 mm

Scope of delivery

- Flipper®
- Nosepieces:10/18, 10/24 and 10/29
- 1 maintenance wrench (on magazine)
- Operating instructions with spare parts list
- Plastic carrying case
- Operating manual
- Adjustment list

Accessories

- Spare minipacks for blind rivet nuts
- Retrofit set for blind rivet nut studs
- Threaded mandrel and nosepiece

The experts in riveting technologies

GESIPA Blindniettechnik GmbH
Nordendstraße 13-39
64546 Mörfelden-Walldorf
Germany

T +49 (0) 6105 962 0
F+49 (0) 6105 962 287
info@gesipa.com
www.gesipa.com

A member of SFS

GESIPA®



Product Code	EG-2061
Description	**Riveter Hand All Purpose**
Brand	ETC
Specifications	
Features & Benefits	Easy One-Handed Operation Auto Eject System for Rivets Easy Grip Non-Slip Handles Nose Spanner Included 4 Interchangeable Nose Pieces 2.4mm, 3.2mm, 4.0mm & 4.8mm For use with Steel and Aluminium Rivets Comes with 30 rivets



Product Code	EC-2760C
Description	**Compact Heavy Duty Lever Arm Riveter**
Brand	ECLIPSE
Specifications	
Features & Benefits	Able to pull up to 6.4mm alloy and S/Steel rivets For use with 2.4mm, 3.2mm, 4.0mm, 4.8mm and 6.4mm rivets with less force than traditional riveters 3-piece jaw mechanism Handy rivet stem collector bottle



Product Code	EC-2750C
Description	**Compact Heavy Duty Lazy Tong Riveter**
Brand	ECLIPSE
Specifications	
Features & Benefits	For use with 2.4mm. 3.2mm 4.0mm, 4.8mm and 6.4mm rivets with less force than traditional riveters 3-piece jaw mechanism Comfortable ergo designed grip







FEATURES

Riveter adaptor with 1/4" Hex Shank for use with 3/8" 12V, 14.4V & 18V cordless drills. Suitable for aluminium, aluminium/steel and all steel rivets.
* Not suitable for stainless steel rivets.
* Not suitable for impact use.

SPECIFICATIONS

Nose Piece: 2.4mm, 3.2mm, 4.0mm, 4.8mm
Recommended Free Speed: 1000RPM
Min. Torque: 11Nm
Dimensions: 59 x 158mm
Net Weight: 0.3kg



FEATURES

Riveter adaptor with 1/4" Hex Shank for use with 1/2" 14.4V & 18V cordless drills. Suitable for aluminium, aluminium/steel and all steel rivets.
* Not suitable for stainless steel rivets. Supplied in blister pack.
* Not suitable for impact use.

SPECIFICATIONS

Nose Piece: 3.2mm, 4.0mm, 4.8mm, 6.4mm
Recommended Free Speed: 1000RPM
Min. Torque: 50Nm
Dimensions: 59 x 173mm
Net Weight: 0.3kg